# Working Group to Address the Future of RHIC Physics via High p<sub>T</sub> Observables

Kirill Filimonov
Saskia Mioduszewski
Denes Molnar

#### The Nature of the Game

- Some of the current questions will be addressed with run-4 and run-5 data, now on tape
- → Some answers will lead to new questions
- We will soon see what questions will arise from the measurement to be made in the near future

This is research!

## Goals of this Workshop

- Summarize the current physics questions that can be addressed via high p<sub>T</sub> observables in the future
- Make a list of the measurements that need to be made
- Which questions require upgrades (detector and/or luminosity)?
- Define what calculations/simulations need to be done (and who will do it)

#### Summary of the Ideas on the List-server I

#### **Physics Questions:**

- Energy loss
  - Length dependence
  - Quark vs. glue
  - Light vs. heavy quarks
  - Away side jet expectation (thermalization?)
- Hadronization fragmentation, coalescence, percolation
- Hadronization in A+A vs. p+p
- CGC vs. jet quenching at forward rapidities

## Summary of the Ideas on the List-server II

#### **Physics Questions (cont'd):**

Source of v<sub>2</sub> at high p<sub>T</sub>

#### **Theoretical challenges:**

- What exactly does q-hat "measure"?
- Effect of a propagating hard parton on medium
- Consistent description of coalescence/recombination

## Summary of the Ideas on the List-server III

#### **Measurements:**

- $\gamma$  jet and leading hadron  $-\gamma$  correlations
- Away-side jet cone
  - Energy distribution
  - Shape
  - Flavor
- Identified particle R<sub>AA</sub>, and v<sub>2</sub>
  - Baryon vs. meson
  - Forward vs. central rapidity
  - Light vs. heavy flavor

# Request to Working Group

#### **Experimentalists:**

What calculations are needed from the theory community?

#### Theorists:

What measurements are needed?